Available online at www.sciencedirect.com
ScienceDirect
Forest Ecology and Management 253 (2007) v–vi
Forest Ecology and Management
www.elsevier.com/locate/foreco

Contents

Regular articles

Pine and eucalypt litterfall in a pine-invaded eucalypt woodland: The role of fire and canopy cover
M.C. Williams and G.M. Wardle (Sydney, Australia) 1

Impact of deciduous tree species on litterfall quality, decomposition rates and nutrient circulation in pine stands
O. Polyakova and N. Billor (Auburn, AL, USA) 11

The uncoupling of secondary growth, cone and litter production by intradecadal climatic variability in a mediterranean scots pine forest
C. Martínez-Alonso (Turrialba, Costa Rica and Madrid, Spain), F. Valladares (Madrid, Spain), J.J. Camarero (Zaragoza, Spain), M.L. Arias, M. Serrano and y.J.A. Rodríguez (Madrid, Spain) 19

Cork extraction as a key factor determining post-fire cork oak survival in a mountain region of southern Portugal
F. Moreira, I. Duarte, F. Catry and V. Acácio (Lisbon, Portugal) 30

Structure and diversity of secondary tropical dry forests in Mexico, differing in their prior land-use history
L.P. Romero-Duque, V.J. Jaramillo and A. Pérez-Jiménez (Morelia, México) 38

Sex-specific roost selection by adult red bats in a diverse forested landscape
R.W. Perry (Hot Springs, AR, USA), R.E. Thill (Nacogdoches, TX, USA) and S.A. Carter (Hot Springs, AR, USA) 48

Assessing sustainability indicators for tropical forests: Spatio-temporal heterogeneity, logging intensity, and dung beetle communities
N. Aguilar-Amuchastegui (Lincoln, NE, USA) and G.M. Henebry (Brookings, SD, USA) 56

Allometry and partitioning of above- and belowground tree biomass in an age-sequence of white pine forests
M. Peichl and M.A. Arain (Hamilton, Canada) 68

Growth and frost damage variation among *Pinus pseudostrobus*, *P. montezumae* and *P. hartwegii* tested in Michoacán, México
H. Viveros-Viveros (Montecillo, Mexico), C. Sáenz-Romero (Michoacán, Mexico), J. López-Upton and J.J. Vargas-Hernández (Montecillo, Mexico) 81

Growth, gas exchange, and root respiration of *Quercus rubra* seedlings exposed to low root zone temperatures in solution culture
K.G. Apostol, D.F. Jacobs, B.C. Wilson, K.F. Salifu (West Lafayette, IN, USA) and R.K. Dumroese (Moscow, ID, USA) 89

Can native tree species regenerate in *Pinus radiata* plantations in Chile? Evidence from field and laboratory experiments
P.C. Guerrero (Santiago, Chile) and R.O. Bustamante (Biodiversidad, Chile) 97

Influence of high-contrast and low-contrast forest edges on growth rates of *Lobaria pulmonaria* in the inland rainforest, British Columbia
D.S. Coxson and S.K. Stevenson (Prince George, Canada) 103

Browsing of tree regeneration by white-tailed deer in large clearcuts on Anticosti Island, Quebec
C. Casabon and D. Pothier (Québec, Canada) 112

Analyses of growth rings of *Pinus merkusii* from Lao P.D.R.
B.M. Buckley (Palisades, NY, USA), K. Duangsathaporn, K. Palakit (Bangkok, Thailand), S. Butler (Palisades, NY, USA), V. Syhapanya and N. Xaybouangeun (Vientiane, Lao People's Democratic Republic) 120

Interactions between timber harvesting and swamp wallabies (*Wallabia bicolor*): Space use, density and browsing impact
J. Di Stefano, J.A. Anson, A. York, A. Greenfield, G. Coulson, A. Berman and M. Bladen (Victoria, Australia) 128

Where do conifers regenerate after selective harvest? A case study from a New Zealand conifer–angiosperm forest
F.E. Carswell, S.J. Richardson (Lincoln, New Zealand), J.E. Doherty (Murupara, New Zealand), R.B. Allen and S.K. Wiser (Lincoln, New Zealand) 138

Spatial distribution of carbon in natural and managed stands in an industrial forest in New Brunswick, Canada
E.T. Neilson, D.A. MacLean, F.-R. Meng and P.A. Arp (Fredericton, Canada) 148

The spatial pattern of a natural European beech (*Fagus sylvatica* L.)–silver fir (*Abies alba* Mill.) forest: A patch-mosaic perspective
J.G. Paluch (Cracow, Poland) 161

Measurement repeatability of a large-scale inventory of forest fuels
J.A. Westfall (Newtown Square, PA, USA) and C.W. Woodall (St. Paul, MN, USA) 171

Adaptive roadside sampling for bark beetle damage assessment
J.C. Samalens, J.P. Rossi (Cestas, France), D. Guyon (Villenave d'Ornon, France), I. Van Halder, P. Menassieu (Cestas, France), D. Piou (Cenon, France) and H. Jactel (Cestas, France) 177

Spatiotemporal patterns of mortality in declining balsam fir and spruce stands
S.L. Taylor and D.A. MacLean (Fredericton, Canada) 188

Estimating annual bole biomass production using uncertainty analysis
T.J. Woolley, M.E. Harmon and K.B. O'Connell (Corvallis, OR, USA) 202

Do high-density patches of coarse wood and regenerating saplings create browsing refugia for aspen (*Populus tremuloides* Michx.) in Yellowstone National Park (USA)?
J.D. Forester, D.P. Anderson and M.G. Turner (Madison, WI, USA) 211

Characterizing spatial–temporal tree mortality patterns associated with a new forest disease
D. Liu (Columbus, OH, USA), M. Kelly, P. Gong (Berkeley, CA, USA) and Q. Guo (Merced, CA, USA) 220
Effect of fire retardant application on heathland surface-dwelling families of the Order Coleoptera (beetles) in Victoria, Australia
N.G. Collett (Heidelberg, Australia) 232
Long-term changes in water quality and solute exports in headwater streams of intensively managed radiata pine and natural eucalypt forest catchments in south-eastern Australia
P. Hopmans (Carlton, Australia) and L.J. Bren (Melbourne, Australia) 244

Vol. 253
Iss. 1 - 3
DEC 15
2007